

Based on the discussions with Examiner Strimbu, the following changes to Claim 1 were discussed.

Claim 1, lines 15-16: delete "and engages with a contacting wall...angle range".

Claim 1, line 20: change "third" to --second--.

Claim 1, line 25: change "at" to --adjacent--.

Claim 1, line 25: insert --via a shaft and engages with a respective contacting wall of the body portion for engaging the at least one contacting portion to engage the first and second members-- following the term "portions."

The addition to the end of line 25 of Claim 1 is the language deleted from lines 15 and 16 of Claim 1, in slightly reworded form.

In addition to the foregoing, Examiner Strimbu requested the following changes to Claims 7 and 9 for purposes of improving the readability of the claims.

Claim 7, line 2: change "wall includes" to --walls include--.

Claim 7, line 2: delete "partially and" and insert therefor -- positioned--.

Claim 7, line 3: change "surrounding" to --from--.

Claim 9, line 3: change "the highest" to --an end--.

The undersigned authorized Examiner Strimbu to make foregoing changes by way of an Examiner's Amendment.

Should any questions arise in connection with this matter, undersigned respectfully requests that he be contacted at the number indicated below.

Respectfully submitted,

BUCHANAN INGERSOLL PC

Date: April 18, 2006

By: Matthew L. Schneider
Matthew L. Schneider
Registration No. 32,814

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620